



22062022

AGITATE BEFORE USE

LawrieCo₂ 

KEEP OUT OF REACH OF CHILDREN
READ SAFETY DIRECTIONS

BiMAX

BOOST

ORGANIC LIQUID NUTRITION AND PLANT STIMULANTS

Combining Kelp, Fish and Fulvic including natural growth hormones. It is designed for foliar and fertigation application in all broadacre crops, dairy, pasture, horticulture and viticulture.

- 5L
- 10L
- 20L
- 200L
- 1000L



Batch

This label complies with the Fertiliser Industry Code of Practice for Fertiliser Description and Labelling

Wealth from Soil
www.lawrieco.com.au
Ph 08 8260 1134 47 Naweena Road, Regency Park SA 5010

RECOMMENDATIONS

For foliar and fertigation in all broadacre crops, pasture, viticulture and horticulture.

	Rate/Ha
Broadacre	2-10L/Ha
Horticulture/Viticulture	2-20L/Ha
Fertigation/Turf/Landscape	5-30L/Ha

Rates and timings may change depending on crop and season. Always consult a LawrieCo consultant or distributor for specific recommendations.

TYPICAL ANALYSIS (w/v)

Nitrogen	0.9%	Zinc	30ppm
Phosphorous	0.4%	Copper	2ppm
Potassium	3.25%	Molybdenum	0.5ppm
Calcium	0.3%	Cobalt	0.5ppm
Magnesium	0.15%		
Sulfur	2.2%	pH	3.7-3.9
Iron	50ppm	Sp gravity	1.11-1.14
Boron	7ppm		

APPLICATION

AGITATE CONCENTRATE WELL BEFORE USE

Conditions of use: Ensure adequate leaf area index for nutrient absorption. Not for use when plant is under stress. e.g. moisture, frost, disease or pests. Spray at moderate ambient temperatures, 11-28 degrees. High humidity will stimulate plant uptake. For best results use early morning or late afternoon. Do not spray in winds > 24 km/h, ideally not over 8 km/h

Equipment: Ensure spray equipment is clean, remove undissolved particles that may block nozzles and chemical / disease contaminants prior to use. Water rate 50-100L/ha • 32-50 mesh filtration Dilution rate 1:10 • Nozzle size 3-5

Compatibility: Physically compatible with a range of nutrients and chemicals. A compatibility jar test is recommended before use, incompatibility is indicated by precipitation and/or settling. Contact LawrieCo / your distributor for further compatibility information

If medical advice is needed, have the product container or label on hand.

SAFETY DIRECTIONS

Wash hands thoroughly after handling.

Wear eye protection (AS/NZS 1336/37).

Dispose of contents/container to an approved waste disposal plant in accordance with local regulations.

FIRST AID

If Swallowed: do NOT induce vomiting. Rinse mouth and give plenty of water to drink.

If in Eyes: hold eye lids apart and flush continuously with running water for 15 minutes.

If skin or hair contact occurs: remove contaminated clothing and wash with plenty of soap and water.

If any symptoms persist get medical advice/attention or contact a Poisons Information Centre (phone 13 11 26)

Additional info refer to Safety Data Sheet - Code No. 8061

IMPURITIES Cadmium max 0.6mg/kg; Lead max 1.65mg/kg; Mercury max 0.15mg/kg

Warning Do not swallow. The spray from this product may act as an irritant. Avoid inhalation and contact with the eyes and skin.

Conditions of Sale The Manufacturer/Distributor warrants that this product contains the ingredients specified, and is fit for the purposes stated on this label, when it is used in accordance with directions, under normal conditions. Only the Manufacturer/Distributor is authorised to make any warranty, guarantee or recommendations concerning the product as the location, rate of application and other conditions are beyond the control of the Manufacturer/Distributor.